

[illegible]

		WEAVER™ MOUNT APPLICATIONS CHART		N O T E S	WEAVER™ ALUMINUM TOP MOUNT BASES						MULTI-SLOT BASES			STEEL LOCK SEE-THRU RINGS	Complete Mount Systems	SIDE MOUNT	GRAND SLAM™ STEEL TOP MOUNT BASES				GRAND SLAM™ DOVETAIL BASES	
Revision I: 6/12/25					STANDARD 2-PC BASES			EXTENSION BASES		1-PC	1-PC	1-PC	1-PC	No Bases Required	Bases w/Rings	USE ONLY WITH SIDE MT BRACKET	STANDARD		EXTENSION		1-PC	2-PC
MAKE		MODEL OF FIREARM COLOR INDICATES FINISH: BLACK MATTE SILVER Yellow Shading = Inactive			REAR	FRONT	Base Pairs	REAR	FRONT	1-PC	Multi-Slot Bases	Extended multi-slot bases	Extended multi- slot bases 20 MOA									
BROWNING		BBR (Bolt Action) Long & Short Actions			47 (48047)	46 (48046)			402 (48108)													
BROWNING		- Matte			47M (48503)	46M (48502)			402M (48429)													
BROWNING		- Silver			47S (48003)	46S (48004)			402S (48430)													
BROWNING		A-Bolt WSSM			47 (48047)																	
BROWNING		BAR Matte							432M (48456)													
BSA		Monarch Medium Action in 222, 243, 308		25	36 (48036)	35 (48035)			40A (48040)	97 (48097)												
BSA		- Matte			36M (48501)	35M (48500)			40AM (48428)								S36 (48225)	S35 (48224)				
BSA		- Silver			36S (48005)	35S (48006)																
BSA		CF2, Monarch Long Action in 7mm, 270, 30-06		25	36 (48036)	35 (48035)			40A (48040)	98 (48098)												
BSA		- Matte			36M (48501)	35M (48500)			40AM (48428)								S36 (48225)	S35 (48224)				
BSA		- Silver			36S (48005)	35S (48006)																
BSA		Other High-Powers			28 (48028)	28 (48028)																
CARCANO		Carcano		4, 6												1 (48401)						
CHIAPPA		Double Badger							418M (48435)													
CHURCHILL		Highlander			36 (48036)	35 (48035)			40A (48040)													
CHURCHILL		- Matte			36M (48501)	35M (48500)			40AM (48428)								S36 (48225)	S35 (48224)				
CHURCHILL		- Silver			36S (48005)	35S (48006)																
CHURCHILL		830														1 (48401)						
CHURCHILL		871							62 (48062)													
CHURCHILL		900			19 (48019)	19 (48019)								49715								
CHURCHILL		950, 950-C			61 (48061)	46 (48046)			402 (48108)							1 (48401)						
CHURCHILL		- Matte			61M (48504)	46M (48502)			402M (48429)								S61 (48234)	S46 (48227)		S402 (48247)		
CHURCHILL		- Silver			61S (48002)	46S (48004)			402S (48430)													
CHURCHILL		972-C			45 (48045)	46 (48046)			402 (48108)								S45 (48226)	S46 (48227)		S402 (48247)		
CHURCHILL		- Silver			45 (48004)	46 (48004)			402S (48430)													
COLT		57			45 (48045)	46 (48046)			402 (48108)													
COLT		- Matte															S45 (48226)	S46 (48227)		S402 (48247)		
COLT		- Silver				46S (48004)			402S (48430)													
COLT		Coltsman in 223, 243 & 308 Cal. (Round Receiver)			25 (48025)	25 (48025)																
COLT		Coltsman in 264 & 30-06 Cal. (Round Receiver)			54 (48054)	54 (48054)																
COLT		Coltsman with Sako Style Action in 223 & other Cal			67 (48067)																	
COLT		Sharps			85 (48085)	85 (48085)																
COLT		Sauer			35 (48035)	35 (48035)		40A (48040)	40A (48040)													
COLT		- Matte			35M (48500)	35M (48500)		40AM (48428)	40AM (48428)								S35 (48224)	S35 (48224)				
COLT		- Silver			35S (48006)	35S (48006)																

	WEAVER™ MOUNT APPLICATIONS CHART	N O T E S	WEAVER™ ALUMINUM TOP MOUNT BASES					MULTI-SLOT BASES			STEEL LOCK SEE-THRU RINGS	Complete Mount Systems	SIDE MOUNT	GRAND SLAM™ STEEL TOP MOUNT BASES				GRAND SLAM™ DOVETAIL BASES	
Revision I: 6/12/25	MODEL OF FIREARM COLOR INDICATES FINISH: BLACK MATTE SILVER Yellow Shading = Inactive		STANDARD 2-PC BASES			EXTENSION BASES		1-PC	1-PC	1-PC	No Bases Required	Bases w/Rings	USE ONLY WITH SIDE MT. BRACKET	STANDARD		EXTENSION		1-PC	2-PC
MAKE			REAR	FRONT	Base Pairs	REAR	FRONT	1-PC	Multi-Slot Bases	Extended multi-slot bases				Extended multi- slot bases 20 MOA	REAR	FRONT	REAR		
H & R	Topper 30, 22 Jet & Mod 158 (Pre 1973)	18						60A (48064)											
H & R	Handy Rifle							82 (48082)											
HERTERS	J9		45 (48045)	46 (48046)				402 (48108)											
HERTERS	- Matte													S45 (48226)	S46 (48227)		S402 (48247)		
HERTERS	- Silver			46S (48004)				402S (48430)											
HERTERS	U9 BSA Action	4	28 (48028)	28 (48028)															
HERTERS	U9 Round Receiver		36 (48036)	35 (48035)				40A (48040)											
HERTERS	- Matte		36M (48501)	35M (48500)				40AM (48428)						S36 (48225)	S35 (48224)				
HERTERS	- Silver		36S (48005)	35S (48006)															
HIGH-STANDARD	High-Power		55 (48055)	46 (48046)				402 (48108)						1 (48401)		S46 (48227)			
HOWA	Howa 1500 S/A		36 (48036)	35 (48035)				40A (48040)		99503									
HOWA	- Matte		36M (48501)	35M (48500)				40AM (48428)			99504 (20 MOA)					S36 (48225)	S35 (48224)		
HOWA	- Silver		36S (48005)	35S (48006)															
HOWA	Howa 1500 L/A		36 (48036)	35 (48035)				40A (48040)		99501									
HOWA	- Matte		36M (48501)	35M (48500)				40AM (48428)			99502 (20 MOA)	48334				S35 (48224)			
HOWA	- Silver		36S (48005)	35S (48006)															
Husqvarna	1900, 9000		55 (48055)	46 (48046)															
INTERARMS	ATD	18						60A (48064)											
INTERARMS	Mark X	1	55 (48055)	20A (48020)															
INTERARMS	Mini Mark X	1	23 (48023)																
INTERARMS	Viscount	1	45 (48045)	46 (48046)				402 (48108)								S45 (48226)	S46 (48227)	S402 (48247)	
ITHACA	Deerslayer 37 & 87 (12, 16, 20 GA.)							62 (48062)				49715							
ITHACA	LSA-55, LSA-65		61 (48061)	61 (48061)															
ITHACA	- Matte		61M (48504)	61M (48504)												S61 (48234)	S61 (48234)		
ITHACA	- Silver		61S (48002)	61S (48002)															
JAPANESE	6.5mm, 7.7mm	6						70 (48070)						1 (48401)					
KNIGHT MUZZLELOADERS	Knight MK-85, BK-92 & T-Bolt (Flat receivers)		61 (48061)	61 (48061)															
KNIGHT MUZZLELOADERS	- Matte		61M (48504)	61M (48504)												S61 (48234)	S61 (48234)		
KNIGHT MUZZLELOADERS	- Silver		61S (48002)	61S (48002)															
KNIGHT MUZZLELOADERS	KRB7		45 (48045)	45 (48045)															
KNIGHT MUZZLELOADERS	LK-93, Wolverine, Legend, Disc, American, Revolution		45 (48045)	45 (48045)															
KNIGHT MUZZLELOADERS	- Matte															S45 (48226)	S45 (48226)		
KNIGHT MUZZLELOADERS	KP1		18 (48018)	18 (48018)															
KRAG	(Offset to left for easy ejection)	4												2 (48402)					
LAKEFIELD	22 Rimfire	12																	
LEE-ENFIELD	Lee-Enfield	4,15						TO-1 (48203)											
Lyman	Mustang		55 (48055)	55 (48055)															
MAGNUM RESEARCH	Lone Eagle SSP 91 Pistol		16 (48016)	16 (48016)															
MARLIN	45, 30AS, 336 (all models), 444, 1893, 1894, 1895, Camp 9, 989, .22 Auto, 308MX				48492 (336 Only)			63B (48069)											

		WEAVER™ MOUNT APPLICATIONS CHART		N O T E S	WEAVER™ ALUMINUM TOP MOUNT BASES						MULTI-SLOT BASES			STEEL LOCK SEE-THRU RINGS	Complete Mount Systems	SIDE MOUNT	GRAND SLAM™ STEEL TOP MOUNT BASES				GRAND SLAM™ DOVETAIL BASES	
Revision I: 6/12/25		MODEL OF FIREARM COLOR INDICATES FINISH: BLACK MATTE SILVER Yellow Shading = Inactive			STANDARD 2-PC BASES			EXTENSION BASES		1-PC	1-PC	1-PC	No Bases Required	Bases w/Rings	USE ONLY WITH SIDE MT BRACKET	STANDARD		EXTENSION		1-PC	2-PC	
MAKE		REAR	FRONT		Base Pairs	REAR	FRONT	1-PC	Multi-Slot Bases	Extended multi-slot bases	Extended multi- slot bases 20 MOA	REAR				FRONT	REAR	FRONT				
MOSSBERG	500AS (Pre 1997) & 600 Shotguns						88 (48088)															
MOSSBERG	500 (1997+) 510, 590, 535 & 835 Shotguns (matte)			48473			417M (48440)	417T (48333)														
MOSSBERG	810, RM7	25 (48025)	11 (48011)																			
MOSSBERG	100 ATR, 1500, 1700	36 (48036)	35 (48035)				40A (48040)										S36 (48225)	S35 (48224)				
MOSSBERG	- Matte	36M (48501)	35M (48500)	48460			40AM (48428)															
MOSSBERG	- Silver	36S (48005)	35S (48006)																			
MOSSBERG	930, 935 (Matte)						430M (48455)															
MOSSBERG	9200						430 (48455)															
MOSSBERG	Mossberg SSA, MVP 5.56/224VLK																					
MOSSBERG	- Matte	650 (48483)	35M (48500)	48483			40AM (48428)		99467								S36 (48225)	S35 (48224)				
MOSSBERG	Patriot S/A, MVP 7.62/6.5cm																					
MOSSBERG	- Matte	650 (48483)	35M (48500)	48483			40AM (48428)	615 (48318)	99475								S36 (48225)	S35 (48224)				
MOSSBERG	Patriot L/A																					
MOSSBERG	- Matte	650 (48483)	35M (48500)	48483			40AM (48428)	616 (48319)	99474								S36 (48225)	S35 (48224)				
MUSGRAVE	Mark I, Mark II	54 (48054)	46 (48046)				402 (48108)											S46 (48227)		S402 (48247)		
MUSGRAVE	Mark III, Mark IV	45 (48045)	46 (48046)				402 (48108)											S45 (48226)	S46 (48227)	S402 (48247)		
MUSGRAVE	- Silver		46S (48004)																			
NAVY ARMS	Country Boy Muzzleloader	46 (48046)	46 (48046)		402 (48108)	402 (48108)	53 (48053)															
NAVY ARMS	- Matte	46M (48502)	46M (48502)		402M (48429)	402M (48429)											S46 (48227)	S46 (48227)	S402 (48247)	S402 (48247)		
NAVY ARMS	- Silver	46S (48004)	46S (48004)		402S (48430)	402S (48430)																
NEW ENGLAND FIREARMS (H & R)	Handy Rifle Hornet (use Extra High rings)						82 (48082)															
NEW ENGLAND FIREARMS (H & R)	N.E.F. 10 Gauge Shotgun	19 (48019)	19 (48019)																			
NEW ENGLAND FIREARMS (H & R)	Huntsman Muzzleloader	8					82 (48082)															
NORINCO	22 Auto (Replica of Browning 22 Auto)	18					60A (48064)															
NORINCO	JW-15	12																				
OCTAGON BARREL OR FLAT TOP RECEIVERS	Can be fitted with the following bases:	61 (48061)	61 (48061)																			
PARKER-HALE	1000, 1000C, 1100, 1200, 1700	45 (48045)	46 (48046)			402 (48108)																
PARKER-HALE	- Matte																S45 (48226)	S46 (48227)		S402 (48247)		
PARKER-HALE	- Silver		46S (48004)			402S (48430)																
PARKER-HALE	2600	71 (48071)	85 (48085)																			
PARKER-HALE	Midland	71 (48071)	75 (48075)																			
PEDER SOLI	Lightning	75 (48075)	75 (48075)																			
RAPTOR ARMS	Raptor (Same as Remington 700 Long Action)	25	36 (48036)	35 (48035)		40A (48040)	98 (48098)								1 (48401)							
RAPTOR ARMS	- Matte		30M (48501)	35M (48500)	48460		40AM (48428)	98T (48334)	99501	99502 (20MOA)							S36 (48225)	S35 (48224)				
RAPTOR ARMS	- Silver		36S (48005)	35S (48006)	48461																	

		WEAVER™ MOUNT APPLICATIONS CHART		N O T E S	WEAVER™ ALUMINUM TOP MOUNT BASES				MULTI-SLOT BASES			STEEL LOCK SEE-THRU RINGS	Complete Mount Systems	SIDE MOUNT	GRAND SLAM™ STEEL TOP MOUNT BASES				GRAND SLAM™ DOVETAIL BASES		
Revision 1: 6/12/25		MODEL OF FIREARM COLOR INDICATES FINISH: BLACK MATTE SILVER Yellow Shading = Inactive			STANDARD 2-PC BASES			EXTENSION BASES		1-PC	1-PC	1-PC	No Bases Required	Bases w/Rings	SIDE MT BRACKET	STANDARD		EXTENSION		1-PC	2-PC
MAKE		REAR	FRONT		Base Pairs	REAR	FRONT	1-PC	Multi-Slot Bases	Extended multi-slot bases	Extended multi- slot bases 20 MOA	REAR				FRONT	REAR	FRONT			
REMINGTON	700, 78, 40X-L, 721 & 725 (all Long Actions)	25	36 (48036)	35 (48035)			40A (48040)	98 (48098)						1 (48401)							
REMINGTON	- Matte		36M (48501)	35M (48500)	48460		40AM (48428)		98T (48334)	99501	99502 (20MOA)					S36 (48225)	S35 (48224)				
REMINGTON	- Silver		36S (48005)	35S (48006)	48461																
REMINGTON	700, 78, 40X-S, 722 & 725 (all Short Actions), 700 Mzl. Ldr.	25	36 (48036)	35 (48035)			40A (48040)	97 (48097)						1 (48401)							
REMINGTON	- Matte		36M (48501)	35M (48500)	48460		40AM (48428)		97T (48330)	99503	99504 (20MOA)					S36 (48225)	S35 (48224)				
REMINGTON	- Silver		36S (48005)	35S (48006)	48461																
REMINGTON	710, 715, 770		71 (48071)	71 (48071)																	
REMINGTON	783 S/A		35 (48035)	35 (48035)		40A (48040)	40A (48040)														
REMINGTON	- Matte		35M (48500)	35M (48500)	48477		40AM (48428)		607 (48310)	99506						S35 (48224)	S35 (48224)				
REMINGTON	- Silver		35S (48006)	35S (48006)																	
REMINGTON	783 L/A		35 (48035)	35 (48035)		40A (48040)	40A (48040)														
REMINGTON	- Matte		35M (48500)	35M (48500)	48477		40AM (48428)		608 (48311)	99505											
REMINGTON	- Silver		35S (48006)	35S (48006)																	
REMINGTON	788 All Calibers		76 (48076)	75 (48075)																	
REMINGTON	7 w/3 holes, 600, 660, XP-100, XR-100							70 (48070)						1 (48401)							
REMINGTON	7 w/4 holes, (New in 1999), 673 (Matte)		421M (48444)	35M (48500)																	
REMINGTON	740, 742, 760							62 (48062)				49715									
REMINGTON	4, 6, 74, 76, 7400, 7600, 750							93 (48093)													
REMINGTON	- Matte											49714									
REMINGTON	10, 11, 12, 34", 341", 510, 511, 512, 521T	6	43 (48043)	42 (48042)										2 (48402)							
REMINGTON	12A, 121 with 3/4" Diameter Barrels	4	18 (48018)	13 (48013)										2 (48402)							
REMINGTON	121 with 13/16" Diameter Barrels		18 (48018)	17 (48017)										2 (48402)							
REMINGTON	12C Octagon Barrel		18 (48018)																		
REMINGTON	14, 141		20A (48020)																		
REMINGTON	41	6												2 (48402)							
REMINGTON	24, 241	18						60A (48064)													
REMINGTON	25		18 (48018)											2 (48402)							
REMINGTON	30, 720		11 (48011)	11 (48011)										1 (48401)							
REMINGTON	33	6		13 (48013)										2 (48402)							
REMINGTON	513S, 513T		43 (48043)											2 (48402)							
REMINGTON	514		16 (48016)	21 (48021)										2 (48402)							
REMINGTON	514 (not drilled & tapped) & 550	4	12 (48012)	12 (48012)																	
REMINGTON	541S, 541T		15 (48015)	15 (48015)																	
REMINGTON	522 Viper	11																			
REMINGTON	5, 552, 572, 581(S)	12			T22 (48459)																
REMINGTON	597	25																			
REMINGTON	- Matte							414M (48426)	414T (48336)												
REMINGTON	798		55 (48055)	20A (48020)																	
REMINGTON	870 (Pre Oct 23), 1100, (11-87 Disco in 2020) Shotguns (See Converta Mount System)	24						429M (48454)													
REMINGTON	870 (Post Oct 23), 1100, Shotguns (See Converta Mount System)	24																			
REMINGTON	- Matte (multi-slot base)	25							453 (48345)												
REMINGTON	Genesis (Muzzleloader)		418M (48435)	418M (48435)	48435																
REMINGTON													48544 H								

WEAVER™ Revision 1: 6/12/25	WEAVER™ MOUNT APPLICATIONS CHART	N O T E S	WEAVER™ ALUMINUM TOP MOUNT BASES						MULTI-SLOT BASES			STEEL LOCK SEE-THRU RINGS	Complete Mount Systems	SIDE MOUNT USE ONLY WITH SIDE MT BRACKET	GRAND SLAM™ STEEL TOP MOUNT BASES				GRAND SLAM™ DOVETAIL BASES	
			STANDARD 2-PC BASES			EXTENSION BASES		1-PC	1-PC	1-PC	1-PC				STANDARD		EXTENSION		1-PC	2-PC
			REAR	FRONT	Base Pairs	REAR	FRONT	1-PC	Multi-Slot Bases	Extended multi-slot bases	Extended multi- slot bases 20 MOA				REAR	FRONT	REAR	FRONT		
			35 (48035)	35 (48035)			40A (48040)													
SAUER	200		35M (48500)	35M (48500)		40AM (48428)	40AM (48428)								S35 (48224)	S35 (48224)				
SAUER	- Matte		35S (48006)	35S (48006)																
SAUER	- Silver		25 (48025)	25 (48025)																
SAUER	SHR 970																			
SAVAGE	A17, A22 Mag, A22 (Post Dec 2020 or all serial #'s after 3380376)		46 (48046)	46 (48046)	48478	402 (48108)	402 (48108)													
SAVAGE	- Matte		46M (48502)	46M (48502)	48466	402M (48429)	402M (48429)		48308											
SAVAGE	- Silver		46S (48004)	46S (48004)		402S (48430)	402S (48430)													
SAVAGE	A22 (Pre Dec 2020 or all serial #'s below 3380376)		46 (48046)	46 (48046)	48478	402 (48108)	402 (48108)													
SAVAGE	- Matte		46M (48502)	46M (48502)	48466	402M (48429)	402M (48429)		48307											
SAVAGE	- Silver		46S (48004)	46S (48004)		402S (48430)	402S (48430)													
SAVAGE	Rascal								48302											
SAVAGE	Axis Series, Edge Pre- June 2021 6-48 Screws		46 (48046)	46 (48046)		402 (48108)	402 (48108)													
SAVAGE	- Matte		46M (48502)	46M (48502)	48466	402M (48429)	402M (48429)		506 (48347)	99487	99488 (20MOA)				S46 (48227)	S46 (48227)	S402 (48247)	S402 (48247)		
SAVAGE	- Silver		46S (48004)	46S (48004)		402S (48430)	402S (48430)													
SAVAGE	Axis Series, Post- June 2021 8-40 Screws	29																		
SAVAGE	Matte		653 (48420)	653 (48420)	48489	654 (48421)	654 (48421)		48400	99610	99611 (20 MOA)				S670 (48260)	S670 (48260)	S671 (48261)	S671 (48261)		
SAVAGE	3		16 (48016)											2 (48402)						
SAVAGE	4, 5		12 (48012)	13 (48013)										2 (48402)						
SAVAGE	6, 7		12 (48012)	12 (48012)										2 (48402)						
SAVAGE	29 (Round Barrel)		11 (48011)																	
SAVAGE	19, 23		15 (48015)	16 (48016)										2 (48402)						
SAVAGE	20, 340, 340E, 342, 840, 842E	14												1 (48401)						
SAVAGE	320								417M (48440)	417T (48333)										
SAVAGE	24	17							74 (48074)											
SAVAGE	25 varmint		16 (48016)	16 (48016)																
SAVAGE	25 (Octagon Barrel)		19 (48019)																	
SAVAGE	40 & 45 Super Sporter		11 (48011)	11 (48011)										2 (48402)						
SAVAGE	67 Shotgun							93 (48093)												
SAVAGE	93F Heavy Barrel, 93, 93FVSS	5,26	16 (48016)	16 (48016)																
SAVAGE	99, 1895, 1899	5,26	14 (48014)	19 (48019)																
SAVAGE	170							62 (48062)												
SAVAGE	212 (Shot Gun)	5,25	46 (48046)	46 (48046)		402 (48108)	402 (48108)													
SAVAGE	- Matte		46M (48502)	46M (48502)		402M (48429)	402M (48429)		413T (48329)	99489	99490 (20MOA)				S46 (48227)	S46 (48227)	S402 (48247)	S402 (48247)		
SAVAGE	219		12 (48012)	30 (48030)										2 (48402)						
SAVAGE	220 (Shot Gun)	5,25	46 (48046)	46 (48046)		402 (48108)	402 (48108)													
SAVAGE	- Matte		46M (48502)	46M (48502)		402M (48429)	402M (48429)		413T (48329)	99489	99490 (20MOA)				S46 (48227)	S46 (48227)	S402 (48247)	S402 (48247)		
SAVAGE	Renegade (Shot Gun)																			
SAVAGE	- Matte							93A (48506)	93AT (48339)											
SAVAGE	10, 11, 12, 14 & 16 (Short Actions), Striker Pstl, 510, 512, 516, S/A 10 ML (2-piece ONLY) Pre 2003 Models	22	61 (48061)	46 (48046)			402 (48108)	420M (48438)												
SAVAGE	- Matte	22	61M (48504)	46M (48502)	48465		402M (48429)								S61 (48234)	S46 (48227)		S402 (48247)		
SAVAGE	- Silver	22	61S (48002)	46S (48004)			402S (48430)													
SAVAGE	110, 111, 112, 114, 116 (Long Actions); 210 Shtg (use X-high rings) Pre 2003 Models	22	61 (48061)	46 (48046)			402 (48108)	413 (48425)						1 (48401)						
SAVAGE	- Matte	22	61M (48504)	46M (48502)	48465		402M (48429)	413M (48442)							S61 (48234)	S46 (48227)		S402 (48247)		

	WEAVER™ MOUNT APPLICATIONS CHART	N O T E S	WEAVER™ ALUMINUM TOP MOUNT BASES							MULTI-SLOT BASES			STEEL LOCK SEE-THRU RINGS	Complete Mount Systems	SIDE MOUNT	GRAND SLAM™ STEEL TOP MOUNT BASES				GRAND SLAM™ DOVETAIL BASES	
Revision 1: 6/12/25	MODEL OF FIREARM COLOR INDICATES FINISH: BLACK MATTE SILVER Yellow Shading = Inactive		STANDARD 2-PC BASES			EXTENSION BASES		1-PC	1-PC	1-PC	1-PC	No Bases Required	Bases w/Rings	USE ONLY WITH SIDE MT BRACKET	STANDARD		EXTENSION		1-PC	2-PC	
MAKE			REAR	FRONT	Base Pairs	REAR	FRONT	1-PC	Multi-Slot Bases	Extended multi-slot bases	Extended multi- slot bases 20 MOA				REAR	FRONT	REAR	FRONT			
SMITH & WESSON	41 Pistol							62 (48062)													
SMITH & WESSON	X-Frame (Silver - 48496 S401)	25						48496													
SPRINGFIELD	O3	6	54 (48054)	55 (48055)										1 (48401)							
SPRINGFIELD	O3-A3	8	59 (48059)	45 (48045)																	
STEVENS	26													2 (48402)							
STEVENS	53		16 (48016)											2 (48402)							
STEVENS	56, 66		12 (48012)	13 (48013)										2 (48402)							
STEVENS	57, 76, 417 1/2, 762		12 (48012)	12 (48012)										2 (48402)							
STEVENS	110E		61 (48061)	46 (48046)			402 (48108)							1 (48401)							
STEVENS	- Matte		61M (48504)	46M (48502)			402M (48429)								S61 (48234)	S46 (48227)		S402 (48247)			
STEVENS	- Silver		61S (48002)	46S (48004)			402S (48430)														
STEVENS	322, 325													1 (48401)							
STEVENS	300, 305, 310, 315, Cadet	5, 26	16 (48016)	16 (48016)																	
STEVENS	416		18 (48018)											2 (48402)							
STEVENS	417		15 (48015)	15 (48015)										2 (48402)							
STEVENS	418, 418 1/2		16 (48016)	16 (48016)										2 (48402)							
STEVENS	Savage/Stevens 200	22	46 (48046)	46 (48046)			402 (48108)	402 (48108)													
STEVENS	- Matte	22	46M (48502)	46M (48502)			402M (48429)	402M (48429)							S46 (48227)	S46 (48227)	S402 (48247)	S402 (48247)			
STEVENS	- Silver	22	46S (48004)	46S (48004)			402S (48430)	402S (48430)													
STEVENS - SPRINGFIELD	83		16 (48016)											2 (48402)							
STEVENS - SPRINGFIELD	85, 87, 872	4	12 (48012)	12 (48012)										2 (48402)							
STEVENS - SPRINGFIELD	840	14												1 (48401)							
STEYR MANNLICHER	M, S		432M (48456)	432M (48456)																	
STOEGER	3000							93A (48506)													
STOEGER	- Matte								93AT (48339)												
TAURUS	L, K & N Frame Rvirs (Like S&W Factory Drilled)	8,17,23						401 (48109)													
TAURUS	- Silver	8,17,23						401S (48001)													

	WEAVER™ MOUNT APPLICATIONS CHART	N O T E S	WEAVER™ ALUMINUM TOP MOUNT BASES						MULTI-SLOT BASES			STEEL LOCK SEE-THRU RINGS	Complete Mount Systems	SIDE MOUNT USE ONLY WITH SIDE MT. BRACKET	GRAND SLAM™ STEEL TOP MOUNT BASES				GRAND SLAM™ DOVETAIL BASES	
Revision 1: 6/12/25			STANDARD 2-PC BASES			EXTENSION BASES		1-PC	1-PC	1-PC	No Bases Required	Bases w/Rings	STANDARD		EXTENSION		1-PC	2-PC		
MAKE	MODEL OF FIREARM COLOR INDICATES FINISH: BLACK MATTE SILVER Yellow Shading = Inactive		REAR	FRONT	Base Pairs	REAR	FRONT	1-PC	Multi-Slot Bases	Extended multi-slot bases			Extended multi-slot bases 20 MOA		REAR	FRONT			REAR	FRONT
WINCHESTER (Includes Ranger Models)	- Silver		418S (48453)	418S (48453)																
WINCHESTER (Includes Ranger Models)	XSR		55 (48055)	55 (48055)																
WINCHESTER (Includes Ranger Models)	XPR S/A		652 (48482)	651 (48482)	48482				48316	99477										
WINCHESTER (Includes Ranger Models)	XPR L/A		652 (48482)	651 (48482)	48482				48317	99476										
WINCHESTER (Includes Ranger Models)	1200,1300, 1, SXP							416M (48434)	416T (48337)											

Date 6/12/2025
Revision I

NOTES

1	Shimming is probably required for perfect scope alignment.
2	Rear base may require modifications for correct fit to military actions.
3	Front base may require modification for correct fit.
4	Gun will have to be drilled and tapped.
5	Front base screws must be shortened by grinding.
6	May require bolt and/or safety alteration, otherwise firearm cannot function safely and properly. Consult with a qualified gunsmith.
7	Base DOES NOT FIT Rossi Large Frame Matched Pair Combos. (All models with 12 GA or 20 GA barrels.)
8	Remove rear sight to use.
9	The handiest way to pinpoint the correct base for the Win. 52 & Win. 70 Long action Rifles is to check the spacing of the tapped holes for the rear base and compare it to the hole spacing for the front base. Does it have: HOLE SPACING THE SAME: Model 52: use 46+ 46, Model 70: use 47+ 46 HOLE SPACING DIFFERENT: Model 52: use 25+ 57 Model 70: use 49A+ 46
10	The Weaver type base built into this rifle will accept Weaver rings but our highest ring (1" See-Thru #49513) still isn't high enough to clear the front sight.
11	The Weaver type base built into this firearm will accept any Detachable Top Mount Weaver Ring.
12	All 22 Rifles that have Grooved Receiver with 3/8" Dovetail for Tip-Off Rings.(49819 & 49515)
13	Ruger Mark II Pistols. Weaver only offers a clamp on base with 1" rings (Pistol Mount System #306). Ruger supplies a short or long base and 1" or 30mm rings w/factory drilled and tapped pistols. Contact Ruger at 602-778-6555 for these items.
14	Bolt Clearance problem may exist and scope will not be centered.
15	Base accepts Tip-Off Rings only.
16	TO-9, TO-10 & TO-11 bases accept either Detachable Top Mount Rings or Tip-Off Rings. Each have crossbolt slots and 3/8" grooves for both applications.
17	Must be factory drilled and tapped.
18	One-Piece base attaches to barrel and extends back over receiver.
19	Requires the use of Thompson/Center base adapter.
20	Requires drilling and tapping 4 holes in receiver and relief space cut in stock to clear base.
21	Rear base is positioned on top of receiver and front base is positioned on the barrel. Drilling & tapping required. One-piece base mounts w/2 set screws & newer guns are factory drilled & tapped.
22	For shorter tube scopes or red dot scopes use #402 extension front base or one-piece base if available. Extension base allows an extra .689".
23	WARNING: NOT FOR USE WITH X-FRAME REVOLVERS. USE ON FIREARMS OTHER THAN THOSE LISTED ABOVE MAY CAUSE INJURY.
24	Top mount base is designed to fit 12GA models only.
25	Can be used with Tactical Multi Slot Bases.
26	Rear Base Screws must be shortened by grinding.
27	Not available or discontinued.
28	Tactical Extended Multi-Slot Bases have 20 MOA versions as well.
29	Savage changed the Axis receiver threads from 6-49 to 8-40 in June of 2021. To identify what threads, Savage Arms added a drill point on the receiver. The drill point is located on the left side of the ejection port. If there is a drill point then the receiver has 8-40 threads, if no drill point, then the receiver has 6-48 threads.