

WEAVER™ MOUNT APPLICATIONS CHART		N O T E S	WEAVER™ ALUMINUM TOP MOUNT BASES						MULTI-SLOT BASES			STEEL LOCK SEE-THRU RINGS	Complete Mount Systems	SIDE MOUNT	GRAND SLAM™ STEEL TOP MOUNT BASES				GRAND SLAM™ DOVETAIL BASES	
Revision P: 4/29/2026			STANDARD 2-PC BASES			EXTENSION BASES		1-PC	1-PC	1-PC	No Bases Required	Bases w/Rings	USE ONLY WITH SIDE MT BRACKET	STANDARD		EXTENSION		1-PC	2-PC	
MAKE	MODEL OF FIREARM COLOR INDICATES FINISH: BLACK MATTE SILVER Yellow Shading = Inactive		REAR	FRONT	Base Pairs	REAR	FRONT	1-PC	Multi-Slot Bases	Extended multi-slot bases				Extended multi- slot bases 20 MOA	REAR	FRONT	REAR			FRONT
REMINGTON	700, 78, 40X-L, 721 & 725 (all Long Actions)	25	36 (48036)	35 (48035)			40A (48040)	98 (48098)				1 (48401)								
REMINGTON	- Matte		36M (48501)	35M (48500)	48460		40AM (48428)	98T (48334)	99501	99502 (20MOA)			S36 (48225)	S35 (48224)						
REMINGTON	- Silver		36S (48005)	35S (48006)	48461															
REMINGTON	700, 78, 40X-S, 722 & 725 (all Short Actions), 700 Mzl. Ldr.	25	36 (48036)	35 (48035)			40A (48040)	97 (48097)				1 (48401)								
REMINGTON	- Matte		36M (48501)	35M (48500)	48460		40AM (48428)	97T (48330)	99503	99504 (20MOA)			S36 (48225)	S35 (48224)						
REMINGTON	- Silver		36S (48005)	35S (48006)	48461															
REMINGTON	710, 715, 770		35S (48005)	35S (48006)																
REMINGTON	783 S/A		35 (48035)	35 (48035)		40A (48040)	40A (48040)													
REMINGTON	- Matte		35M (48500)	35M (48500)	48477		40AM (48428)	607 (48310)	99506				S35 (48224)	S35 (48224)						
REMINGTON	- Silver		35S (48006)	35S (48006)																
REMINGTON	783 L/A		35 (48035)	35 (48035)		40A (48040)	40A (48040)													
REMINGTON	- Matte		35M (48500)	35M (48500)	48477		40AM (48428)	608 (48311)	99505											
REMINGTON	- Silver		35S (48006)	35S (48006)																
REMINGTON	788 All Calibers		76 (48076)	75 (48075)																
REMINGTON	7 w/3 holes, 600, 660, XP-100, XR-100							70 (48070)				1 (48401)								
REMINGTON	7 w/4 holes, (New in 1999), 673 (Matte)		421M (48444)	35M (48500)																
REMINGTON	740, 742, 760							62 (48062)				49715								
REMINGTON	4, 6, 74, 76, 7400, 7600, 750							93 (48093)												
REMINGTON	- Matte				48472							49714								
REMINGTON	10, 11, 12, 34*, 341*, 510, 511, 512, 521T	6	43 (48043)	42 (48042)								2 (48402)								
REMINGTON	12A, 121 with 3/4" Diameter Barrels	4	18 (48018)	13 (48013)								2 (48402)								
REMINGTON	121 with 13/16" Diameter Barrels		18 (48018)	17 (48017)								2 (48402)								
REMINGTON	12C Octagon Barrel		18 (48018)																	
REMINGTON	14, 141		20A (48020)																	
REMINGTON	41	6										2 (48402)								
REMINGTON	24, 241	18						60A (48064)												
REMINGTON	25		18 (48018)									2 (48402)								
REMINGTON	30, 720		11 (48011)	11 (48011)								1 (48401)								
REMINGTON	33	6		13 (48013)								2 (48402)								
REMINGTON	513S, 513T		43 (48043)									2 (48402)								
REMINGTON	514		16 (48016)	21 (48021)								2 (48402)								
REMINGTON	514 (not drilled & tapped) & 550	4	12 (48012)	12 (48012)																
REMINGTON	541S, 541T		15 (48015)	15 (48015)																
REMINGTON	522 Viper	11																		
REMINGTON	5, 552, 572, 581(S)	12			T22 (48459)															
REMINGTON	597	25																		
REMINGTON	- Matte							414M (48426)	414T (48336)											
REMINGTON	798		55 (48055)	20A (48020)																
REMINGTON	870 (Pre Oct 23), 1100, (11-87 Disco in 2020) Shotguns (See Converta Mount System), 4 Mount Holes	24						429M (48454)												
REMINGTON	870 (Post Oct 23), 1100, Shotguns (See Converta Mount System), 3 Mount Holes	24						426M (48457)												
REMINGTON	- Matte (multi-slot base)	25								453 (48345)										
REMINGTON	Genesis (Muzzleloader)		418M (48435)	418M (48435)	48435															
REMINGTON													48544 H							

WEAVER™ MOUNT APPLICATIONS CHART		N O T E S	WEAVER™ ALUMINUM TOP MOUNT BASES						MULTI-SLOT BASES			STEEL LOCK SEE-THRU RINGS	Complete Mount Systems	SIDE MOUNT	GRAND SLAM™ STEEL TOP MOUNT BASES				GRAND SLAM™ DOVETAIL BASES	
Revision P: 4/29/2026			STANDARD 2-PC BASES			EXTENSION BASES		1-PC	1-PC	1-PC	1-PC	No Bases Required	Bases w/Rings	USE ONLY WITH SIDE MT BRACKET	STANDARD		EXTENSION		1-PC	2-PC
MAKE	MODEL OF FIREARM COLOR INDICATES FINISH: BLACK MATTE SILVER Yellow Shading = Inactive		REAR	FRONT	Base Pairs	REAR	FRONT	1-PC	Multi-Slot Bases	Extended multi-slot bases	Extended multi- slot bases 20 MOA				REAR	FRONT	REAR	FRONT		
SAUER	200		35 (48035)	35 (48035)			40A (48040)													
SAUER	- Matte		35M (48500)	35M (48500)		40AM (48428)	40AM (48428)							S35 (48224)	S35 (48224)					
SAUER	- Silver		35S (48006)	35S (48006)																
SAUER	SHR 970		25 (48025)	25 (48025)																
SAVAGE	A17, A22 Mag, A22 (Post Dec 2020 or all serial #'s after 3380376)		46 (48046)	46 (48046)	48478	402 (48108)	402 (48108)													
SAVAGE	- Matte		46M (48502)	46M (48502)	48466	402M (48429)	402M (48429)		48308											
SAVAGE	- Silver		46S (48004)	46S (48004)		402S (48430)	402S (48430)													
SAVAGE	A22 (Pre Dec 2020 or all serial #'s below 3380376)		46 (48046)	46 (48046)	48478	402 (48108)	402 (48108)													
SAVAGE	- Matte		46M (48502)	46M (48502)	48466	402M (48429)	402M (48429)		48307											
SAVAGE	- Silver		46S (48004)	46S (48004)		402S (48430)	402S (48430)													
SAVAGE	Rascal								48302											
SAVAGE	Axis Series, Edge Pre- June 2021 6-48 Screws		46 (48046)	46 (48046)		402 (48108)	402 (48108)													
SAVAGE	- Matte		46M (48502)	46M (48502)	48466	402M (48429)	402M (48429)		506 (48347)	99487	99488 (20MOA)			S46 (48227)	S46 (48227)	S402 (48247)	S402 (48247)			
SAVAGE	- Silver		46S (48004)	46S (48004)		402S (48430)	402S (48430)													
SAVAGE	Axis Series, Post- June 2021 8-40 Screws	29																		
SAVAGE	Matte		653 (48420)	653 (48420)	48489	654 (48421)	654 (48421)		48400	99610	99611 (20 MOA)			S670 (48260)	S670 (48260)	S671 (48261)	S671 (48261)			
SAVAGE	3		16 (48016)											2 (48402)						
SAVAGE	4, 5		12 (48012)	13 (48013)										2 (48402)						
SAVAGE	6, 7		12 (48012)	12 (48012)										2 (48402)						
SAVAGE	29 (Round Barrel)		11 (48011)																	
SAVAGE	19, 23		15 (48015)	16 (48016)										2 (48402)						
SAVAGE	20, 340, 340E, 342, 840, 842E	14												1 (48401)						
SAVAGE	320							417M (48440)	417T (48333)											
SAVAGE	24	17						74 (48074)												
SAVAGE	25 varmint		16 (48016)	16 (48016)																
SAVAGE	25 (Octagon Barrel)		19 (48019)																	
SAVAGE	40 & 45 Super Sporter		11 (48011)	11 (48011)										2 (48402)						
SAVAGE	67 Shotgun							93 (48093)						49714						
SAVAGE	93F Heavy Barrel, 93, 93FVSS	5,26	16 (48016)	16 (48016)																
SAVAGE	99, 1895, 1899	5,26	14 (48014)	19 (48019)																
SAVAGE	170							62 (48062)						49715						
SAVAGE	212 (Shot Gun)	5,25	46 (48046)	46 (48046)		402 (48108)	402 (48108)													
SAVAGE	- Matte		46M (48502)	46M (48502)		402M (48429)	402M (48429)		413T (48329)	99489	99490 (20MOA)			S46 (48227)	S46 (48227)	S402 (48247)	S402 (48247)			
SAVAGE	219		12 (48012)	30 (48030)										2 (48402)						
SAVAGE	220 (Shot Gun)	5,25	46 (48046)	46 (48046)		402 (48108)	402 (48108)													
SAVAGE	- Matte		46M (48502)	46M (48502)		402M (48429)	402M (48429)		413T (48329)	99489	99490 (20MOA)			S46 (48227)	S46 (48227)	S402 (48247)	S402 (48247)			
SAVAGE	Renegaugue (Shot Gun)																			
SAVAGE	- Matte							93A (48506)	93AT (48339)											
SAVAGE	10, 11, 12, 14 & 16 (Short Actions), Striker Pstl, 510, 512, 516, S/ A 10 ML (2-piece ONLY) Pre 2003 Models	22	61 (48061)	46 (48046)			402 (48108)	420M (48438)												
SAVAGE	- Matte		61M (48504)	46M (48502)	48465		402M (48429)							S61 (48234)	S46 (48227)		S402 (48247)			
SAVAGE	- Silver		61S (48002)	46S (48004)			402S (48430)													
SAVAGE	110, 111, 112, 114, 116 (Long Actions); 210 Shtg (use X-high rings) Pre 2003 Models	22	61 (48061)	46 (48046)			402 (48108)	413 (48425)						1 (48401)						
SAVAGE	- Matte		61M (48504)	46M (48502)	48465		402M (48429)	413M (48442)						S61 (48234)	S46 (48227)		S402 (48247)			

Date 4/29/2026
Revision P

NOTES

1	Shimming is probably required for perfect scope alignment.
2	Rear base may require modifications for correct fit to military actions.
3	Front base may require modification for correct fit.
4	Gun will have to be drilled and tapped.
5	Front base screws must be shortened by grinding.
6	May require bolt and/or safety alteration, otherwise firearm cannot function safely and properly. Consult with a qualified gunsmith.
7	Base DOES NOT FIT Rossi Large Frame Matched Pair Combos. (All models with 12 GA or 20 GA barrels.)
8	Remove rear sight to use.
9	The handiest way to pinpoint the correct base for the Win. 52 & Win. 70 Long action Rifles is to check the spacing of the tapped holes for the rear base and compare it to the hole spacing for the front base. Does it have:
	HOLE SPACING THE SAME: Model 52: use 46+ 46, Model 70: use 47+ 46
	HOLE SPACING DIFFERENT: Model 52: use 25+ 57 Model 70: use 49A+ 46
10	The Weaver type base built into this rifle will accept Weaver rings but our highest ring (1" See-Thru #49513) still isn't high enough to clear the front sight.
11	The Weaver type base built into this firearm will accept any Detachable Top Mount Weaver Ring.
12	All 22 Rifles that have Grooved Receiver with 3/8" Dovetail for Tip-Off Rings.(49819 & 49515)
13	Ruger Mark II Pistols. Weaver only offers a clamp on base with 1" rings (Pistol Mount System #306). Ruger supplies a short or long base and 1" or 30mm rings w/factory drilled and tapped pistols. Contact Ruger at 602-778-6555 for these items.
14	Bolt Clearance problem may exist and scope will not be centered.
15	Base accepts Tip-Off Rings only.
16	TO-9, TO-10 & TO-11 bases accept either Detachable Top Mount Rings or Tip-Off Rings. Each have crossbolt slots and 3/8" grooves for both applications.
17	Must be factory drilled and tapped.
18	One-Piece base attaches to barrel and extends back over receiver.
19	Requires the use of Thompson/Center base adapter.
20	Requires drilling and tapping 4 holes in receiver and relief space cut in stock to clear base.
21	Rear base is positioned on top of receiver and front base is positioned on the barrel. Drilling & tapping required. One-piece base mounts w/2 set screws & newer guns are factory drilled & tapped.
22	For shorter tube scopes or red dot scopes use #402 extension front base or one-piece base if available. Extension base allows an extra .689".
23	WARNING: NOT FOR USE WITH X-FRAME REVOLVERS. USE ON FIREARMS OTHER THAN THOSE LISTED ABOVE MAY CAUSE INJURY.
24	Top mount base is designed to fit 12GA models only.
25	Can be used with Tactical Multi Slot Bases.
26	Rear Base Screws must be shortened by grinding.
27	Not available or discontinued.
28	Tactical Extended Multi-Slot Bases have 20 MOA versions as well.
29	Savage changed the Axis receiver threads from 6-49 to 8-40 in June of 2021. To identify what threads, Savage Arms added a drill point on the receiver. The drill point is located on the left side of the ejection port. If there is a drill point then the receiver has 8-40 threads, if no drill point, then the receiver has 6-48 threads.