

		WEAVER™ MOUNT APPLICATIONS CHART		N O T E S	WEAVER™ ALUMINUM TOP MOUNT BASES						MULTI-SLOT BASES			STEEL LOCK SEE-THRU RINGS	Complete Mount Systems	SIDE MOUNT	GRAND SLAM™ STEEL TOP MOUNT BASES				GRAND SLAM™ DOVETAIL BASES	
Revision Q: 7/14/2026					STANDARD 2-PC BASES			EXTENSION BASES		1-PC	1-PC	1-PC	No Bases Required	Bases w/Rings	USE ONLY WITH SIDE MT BRACKET	STANDARD		EXTENSION		1-PC	2-PC	
MAKE	MODEL OF FIREARM COLOR INDICATES FINISH: BLACK MATTE SILVER Yellow Shading = Inactive	REAR	FRONT		Base Pairs	REAR	FRONT	1-PC	Multi- Slot Bases	Extended multi-slot bases	Extended multi- slot bases 20 MOA	REAR				FRONT	REAR	FRONT				
BROWNING	BBR (Bolt Action) Long & Short Actions	47 (48047)	46 (48046)			402 (48108)																
BROWNING	- Matte	47M (48503)	46M (48502)			402M (48429)																
BROWNING	- Silver	47S (48003)	46S (48004)			402S (48430)																
BROWNING	A-Bolt WSSM	47 (48047)																				
BROWNING	BAR Matte						432M (48456)															
BSA	Monarch Medium Action in 222, 243, 308	25 36 (48036)	35 (48035)			40A (48040)	97 (48097)															
BSA	- Matte	36M (48501)	35M (48500)			40AM (48428)											S36 (48225)	S35 (48224)				
BSA	- Silver	36S (48005)	35S (48006)																			
BSA	CF2, Monarch Long Action in 7mm, 270, 30-06	25 36 (48036)	35 (48035)			40A (48040)	98 (48098)															
BSA	- Matte	36M (48501)	35M (48500)			40AM (48428)											S36 (48225)	S35 (48224)				
BSA	- Silver	36S (48005)	35S (48006)																			
BSA	Other High-Powers	28 (48028)	28 (48028)																			
CARCANO	Carcano	4, 6												1 (48401)								
CHIAPPA	Double Badger						419M (48435)															
CHURCHILL	Highlander	36 (48036)	35 (48035)			40A (48040)																
CHURCHILL	- Matte	36M (48501)	35M (48500)			40AM (48428)											S36 (48225)	S35 (48224)				
CHURCHILL	- Silver	36S (48005)	35S (48006)																			
CHURCHILL	830													1 (48401)								
CHURCHILL	871						62 (48062)						49715									
CHURCHILL	900	19 (48019)	19 (48019)																			
CHURCHILL	950, 950-C	61 (48061)	46 (48046)			402 (48108)								1 (48401)								
CHURCHILL	- Matte	61M (48504)	46M (48502)			402M (48429)											S61 (48234)	S46 (48227)		S402 (48247)		
CHURCHILL	- Silver	61S (48002)	46S (48004)			402S (48430)																
CHURCHILL	972-C	45 (48045)	46 (48046)			402 (48108)											S45 (48226)	S46 (48227)		S402 (48247)		
CHURCHILL	- Silver		46S (48004)			402S (48430)																
COLT	57	45 (48045)	46 (48046)			402 (48108)																
COLT	- Matte																S45 (48226)	S46 (48227)		S402 (48247)		
COLT	- Silver		46S (48004)			402S (48430)																
COLT	Coltsman in 223, 243 & 308 Cal. (Round Receiver)	25 (48025)	25 (48025)																			
COLT	Coltsman in 264 & 30-06 Cal. (Round Receiver)	54 (48054)	54 (48054)																			
COLT	Coltsman with Sako Style Action in 223 & other Cal	67 (48067)																				
COLT	Sharps	85 (48085)	85 (48085)																			
COLT	Sauer	35 (48035)	35 (48035)		40A (48040)	40A (48040)																
COLT	- Matte	35M (48500)	35M (48500)		40AM (48428)	40AM (48428)											S35 (48224)	S35 (48224)				
COLT	- Silver	35S (48006)	35S (48006)																			

		WEAVER™ MOUNT APPLICATIONS CHART		NOTES	WEAVER™ ALUMINUM TOP MOUNT BASES							MULTI-SLOT BASES			STEEL LOCK SEE-THRU RINGS	Complete Mount Systems	SIDE MOUNT	GRAND SLAM™ STEEL TOP MOUNT BASES				GRAND SLAM™ DOVETAIL BASES		
Revision Q: 7/14/2026					STANDARD 2-PC BASES			EXTENSION BASES		1-PC	1-PC	1-PC	1-PC	1-PC	1-PC				STANDARD		EXTENSION			
MAKE	MODEL OF FIREARM COLOR INDICATES FINISH: BLACK MATTE SILVER Yellow Shading = Inactive	REAR	FRONT		Base Pairs	REAR	FRONT	1-PC	Multi- Slot Bases	Extended multi-slot bases	Extended multi- slot bases 20 MOA	No Bases Required	Bases w/Rings	USE ONLY WITH SIDE MT BRACKET	REAR	FRONT	REAR	FRONT	1-PC	2-PC				
MAGNUM RESEARCH	Lone Eagle SSP 91 Pistol	16 (48016)	16 (48016)																					
MARLIN	45, 30AS, 336 (all models), 444, 1893, 1894, 1895, Camp 9, 989, .22 Auto, 308MX						63B (48069)																	
MARLIN	- Silver						63BS (48447)																	
MARLIN	- Matte			48471							49713			S466 (48282)	S466 (48282)									
MARLIN	A1 & 50	15 (48015)	15 (48015)										2 (48402)											
MARLIN	39A, 39D & Century (Octagon Barrel)	28 (48028)											2 (48402)											
MARLIN	39A (Round Barrel)	21	29 (48029) 16 (48016)				90 (48090)						2 (48402)											
MARLIN	88, 89, 98		18 (48018) 18 (48018)										2 (48402)											
MARLIN	80, 81, 980		12 (48012) 12 (48012)										2 (48402)											
MARLIN	455		45 (48045) 46 (48046)			402 (48108)								S45 (48226) S45 (48226)	S46 (48227) S46 (48227)		S402 (48247) S402 (48247)							
MARLIN	- Matte																							
MARLIN	- Silver		46S (48004)			402S (48430)																		
MARLIN	60, 990L, 70, 995, 882, 25MN, 883	12																						
MARLIN	MR7		47 (48047) 46 (48046)			402 (48108) 99 (48099)																		
MARLIN	- Matte		47M (48503) 46M (48502)			402M (48429) 402M (48429)																		
MARLIN	- Silver		47S (48003) 46S (48004)			402S (48430) 402S (48430)																		
MARLIN	MLS-50, MLS-54, (Bases sold 2/pack)		406 (48110) 406 (48110)																					
MARLIN	1894					63B (48069)																		
MARLIN	900 in 917, XT-22, XT-17		12 (48012) 12 (48012)																					
MARLIN	922M					63B (48069)																		
MARLIN	925		12 (48012) 12 (48012)																					
MARLIN	XL7, XS7, X7		47 (48047) 46 (48046)			402 (48108)																		
MARLIN	- Matte		47M (48503) 46M (48502)			402M (48429) 402M (48429)																		
MARLIN	- Silver		47S (48003) 46S (48004)			402S (48430) 402S (48430)																		
MAUSER	98FN (Receiver Ring about 1.410" Diameter)	1,2	45 (48045) 46 (48046)			402 (48108)											S45 (48226) S46 (48227)	S402 (48247) S402 (48247)						
MAUSER	- Matte			48464		402M (48429)																		
MAUSER	- Silver		46S (48004)			402S (48430)																		
MAUSER	Swedish 96 (Receiver Ring about 1.300" Diameter)	1, 2	55 (48055) 46 (48046)			402 (48108)							1 (48401)		S46 (48227)		S402 (48247)							
MAUSER	Bauer 3000 & 4000		68 (48068) 46 (48046)			402 (48108)																		
MAUSER	Mark X	1	55 (48055) 20A (48020)																					
MOSSBERG	25, 26, 42, 46M, 140, 142 & 146 45-46 w/ 3/4" dia. Bbls		12 (48012) 13 (48013)										2 (48402)											
MOSSBERG	40		16 (48016)										2 (48402)											
MOSSBERG	43, 44, 144, 46BT & 35		12 (48012) 16 (48016)										2 (48402)											
MOSSBERG	45, 46 Early Models with 13/16" Dia. Bbls		12 (48012) 16 (48016)										2 (48402)											
MOSSBERG	320, 340, 342, 620												2 (48402)											
MOSSBERG	640					63B (48069)					49713													
MOSSBERG	680, 800 & 695-Shotgun (use dual extension rings)		55 (48055) 55 (48055)																					
MOSSBERG	50, 51, 151, 152, 350, 352		12 (48012) 12 (48012)										2 (48402)											
MOSSBERG	400		20A (48020) 42 (48042)																					
MOSSBERG	472, 479 & 679					80 (48080)																		
MOSSBERG	464 Lever Action (Center Fire Only)		403 (48107) 403 (48107)																					

WEAVER™ MOUNT APPLICATIONS CHART	N O T E S	WEAVER™ ALUMINUM TOP MOUNT BASES						MULTI-SLOT BASES			STEEL LOCK SEE-THRU RINGS	Complete Mount Systems	SIDE MOUNT	GRAND SLAM™ STEEL TOP MOUNT BASES				GRAND SLAM™ DOVETAIL BASES	
		STANDARD 2-PC BASES			EXTENSION BASES		1-PC	1-PC	1-PC	1-PC				STANDARD		EXTENSION		1-PC	2-PC
		REAR	FRONT	Base Pairs	REAR	FRONT	1-PC	Multi- Slot Bases	Extended multi-slot bases	Extended multi- slot bases 20 MOA				REAR	FRONT	REAR	FRONT		
MAKE	MODEL OF FIREARM COLOR INDICATES FINISH: BLACK MATTE SILVER Yellow Shading = Inactive										No Bases Required	Bases w/Rings	USE ONLY WITH SIDE MT BRACKET						
REMINGTON	700, 78, 40X-L, 721 & 725 (all Long Actions)	25	36 (48036)	35 (48035)		40A (48040)	98 (48098)						1 (48401)						
REMINGTON	- Matte		36M (48501)	35M (48500)	48460	40AM (48428)		98T (48334)	99501	99502 (20MOA)				S36 (48225)	S35 (48224)				
REMINGTON	- Silver		36S (48005)	35S (48006)	48461														
REMINGTON	700, 78, 40X-S, 722 & 725 (all Short Actions), 700 Mzl. Ldr.	25	36 (48036)	35 (48035)		40A (48040)	97 (48097)						1 (48401)						
REMINGTON	- Matte		36M (48501)	35M (48500)	48460	40AM (48428)		97T (48330)	99503	99504 (20MOA)				S36 (48225)	S35 (48224)				
REMINGTON	- Silver		36S (48005)	35S (48006)	48461														
REMINGTON	710, 715, 770		71 (48071)	71 (48071)															
REMINGTON	783 S/A		35 (48035)	35 (48035)		40A (48040)	40A (48040)												
REMINGTON	- Matte		35M (48500)	35M (48500)	48477	40AM (48428)		607 (48310)	99506					S35 (48224)	S35 (48224)				
REMINGTON	- Silver		35S (48006)	35S (48006)															
REMINGTON	783 L/A		35 (48035)	35 (48035)		40A (48040)	40A (48040)												
REMINGTON	- Matte		35M (48500)	35M (48500)	48477	40AM (48428)		608 (48311)	99505										
REMINGTON	- Silver		35S (48006)	35S (48006)															
REMINGTON	788 All Calibers		76 (48076)	75 (48075)															
REMINGTON	7 w/3 holes, 600, 660, XP-100, XR-100						70 (48070)						1 (48401)						
REMINGTON	7 w/4 holes, (New in 1999), 673 (Matte)		421M (48444)	35M (48500)															
REMINGTON	740, 742, 760						62 (48062)				49715								
REMINGTON	4, 6, 74, 76, 7400, 7600, 750						93 (48093)												
REMINGTON	- Matte				48472						49714								
REMINGTON	10, 11, 12, 34", 341", 510, 511, 512, 521T	6	43 (48043)	42 (48042)									2 (48402)						
REMINGTON	12A, 121 with 3/4" Diameter Barrels	4	18 (48018)	13 (48013)									2 (48402)						
REMINGTON	121 with 13/16" Diameter Barrels		18 (48018)	17 (48017)									2 (48402)						
REMINGTON	12C Octagon Barrel		18 (48018)																
REMINGTON	14, 141		20A (48020)																
REMINGTON	41	6											2 (48402)						
REMINGTON	24, 241	18					60A (48064)												
REMINGTON	25		18 (48018)										2 (48402)						
REMINGTON	30, 720		11 (48011)	11 (48011)									1 (48401)						
REMINGTON	33	6		13 (48013)									2 (48402)						
REMINGTON	513S, 513T		43 (48043)	35S (48035)									2 (48402)						
REMINGTON	514		16 (48016)	21 (48021)									2 (48402)						
REMINGTON	514 (not drilled & tapped) & 550	4	12 (48012)	12 (48012)															
REMINGTON	541S, 541T		15 (48015)	15 (48015)															
REMINGTON	522 Viper	11																	
REMINGTON	5, 552, 572, 581(S)	12			T22 (48459)														
REMINGTON	597	25																	
REMINGTON	- Matte						414M (48426)	414T (48336)											
REMINGTON	798		55 (48055)	20A (48020)															
REMINGTON	870 (Pre Oct 23), 1100, (11-87 Disco in 2020) Shotguns (See Converta Mount System), 4 Mount Holes	24					429M (48454)												
REMINGTON	870 (Post Oct 23), 1100, Shotguns (See Converta Mount System), 3 Mount Holes	24																	
REMINGTON	- Matte (multi-slot base)	25						453 (48345)											
REMINGTON	Genesis (Muzzleloader)		418M (48435)	418M (48435)	48435														
REMINGTON												48544 H							

 WEAVER™ MOUNT APPLICATIONS CHART		N O T E S	WEAVER™ ALUMINUM TOP MOUNT BASES						MULTI-SLOT BASES			STEEL LOCK SEE-THRU RINGS	Complete Mount Systems	SIDE MOUNT	GRAND SLAM™ STEEL TOP MOUNT BASES				GRAND SLAM™ DOVETAIL BASES		
Revision Q: 7/14/2026			STANDARD 2-PC BASES			EXTENSION BASES		1-PC	1-PC	1-PC	1-PC	1-PC	No Bases Required	Bases w/Rings	USE ONLY WITH SIDE MT BRACKET	STANDARD		EXTENSION		1-PC	2-PC
MAKE	MODEL OF FIREARM COLOR INDICATES FINISH: BLACK MATTE SILVER Yellow Shading = Inactive		REAR	FRONT	Base Pairs	REAR	FRONT	1-PC	Multi- Slot Bases	Extended multi-slot bases	Extended multi- slot bases 20 MOA										
												REAR				FRONT	REAR	FRONT	REAR		
SAUER	200		35 (48035)	35 (48035)			40A (48040)														
SAUER	- Matte		35M (48500)	35M (48500)		40AM (48428)	40AM (48428)									S35 (48224)	S35 (48224)				
SAUER	- Silver		35S (48006)	35S (48006)																	
SAUER	SHR 970		25 (48025)	25 (48025)																	
SAVAGE	A17, A22 Mag, A22 (Post Dec 2020 or all serial #'s after 3380376)		46 (48046)	46 (48046)	48478	402 (48108)	402 (48108)														
SAVAGE	- Matte		46M (48502)	46M (48502)	48466	402M (48429)	402M (48429)		605 48308												
SAVAGE	- Silver		46S (48004)	46S (48004)		402S (48430)	402S (48430)														
SAVAGE	A22 (Pre Dec 2020 or all serial #'s below 3380376)		46 (48046)	46 (48046)	48478	402 (48108)	402 (48108)														
SAVAGE	- Matte		46M (48502)	46M (48502)	48466	402M (48429)	402M (48429)		604 48307												
SAVAGE	- Silver		46S (48004)	46S (48004)		402S (48430)	402S (48430)														
SAVAGE	Rascal								600 48302												
SAVAGE	Axis Series, Edge Pre- June 2021 6-48 Screws		46 (48046)	46 (48046)		402 (48108)	402 (48108)														
SAVAGE	- Matte		46M (48502)	46M (48502)	48466	402M (48429)	402M (48429)		506 (48347)	99487	99488 (20MOA)					S46 (48227)	S46 (48227)	S402 (48247)	S402 (48247)		
SAVAGE	- Silver		46S (48004)	46S (48004)		402S (48430)	402S (48430)														
SAVAGE	Axis Series, Post- June 2021 8-40 Screws	29																			
SAVAGE	Matte		653 (48420)	653 (48420)	48489	654 (48421)	654 (48421)		620 48400	99610	99611 (20 MOA)					S670 (48260)	S670 (48260)	S671 (48261)	S671 (48261)		
SAVAGE	3		16 (48016)											2 (48402)							
SAVAGE	4, 5		12 (48012)	13 (48013)										2 (48402)							
SAVAGE	6, 7		12 (48012)	12 (48012)										2 (48402)							
SAVAGE	29 (Round Barrel)		11 (48011)																		
SAVAGE	19, 23		15 (48015)	16 (48016)										2 (48402)							
SAVAGE	20, 340, 340E, 342, 840, 842E	14												1 (48401)							
SAVAGE	320								417M (48440)	417T (48333)											
SAVAGE	24	17							74 (48074)												
SAVAGE	25 varmint		16 (48016)	16 (48016)																	
SAVAGE	25 (Octagon Barrel)		19 (48019)																		
SAVAGE	40 & 45 Super Sporter		11 (48011)	11 (48011)										2 (48402)							
SAVAGE	67 Shotgun							93 (48093)					49714								
SAVAGE	93F Heavy Barrel, 93, 93FVSS	5,26	16 (48016)	16 (48016)																	
SAVAGE	99, 1895, 1899	5,26	14 (48014)	19 (48019)																	
SAVAGE	170							62 (48062)					49715								
SAVAGE	212 (Shot Gun)	5,25	46 (48046)	46 (48046)		402 (48108)	402 (48108)														
SAVAGE	- Matte		46M (48502)	46M (48502)		402M (48429)	402M (48429)		413T (48329)	99489	99490 (20MOA)					S46 (48227)	S46 (48227)	S402 (48247)	S402 (48247)		
SAVAGE	219		12 (48012)	30 (48030)										2 (48402)							
SAVAGE	220 (Shot Gun)	5,25	46 (48046)	46 (48046)		402 (48108)	402 (48108)														
SAVAGE	- Matte		46M (48502)	46M (48502)		402M (48429)	402M (48429)		413T (48329)	99489	99490 (20MOA)					S46 (48227)	S46 (48227)	S402 (48247)	S402 (48247)		
SAVAGE	Renegade (Shot Gun)																				
SAVAGE	- Matte							93A (48506)	93AT (48339)												
SAVAGE	10, 11, 12, 14 & 16 (Short Actions), Striker Pstl, 510, 512, 516, S/ A 10 ML (2-piece ONLY) Pre 2003 Models	22	61 (48061)	46 (48046)			402 (48108)	420M (48438)													
SAVAGE	- Matte	22	61M (48504)	46M (48502)	48465		402M (48429)									S61 (48234)	S46 (48227)		S402 (48247)		
SAVAGE	- Silver	22	61S (48002)	46S (48004)			402S (48430)														
SAVAGE	110, 111, 112, 114, 116 (Long Actions); 210 Shtg (use X-high rings) Pre 2003 Models	22	61 (48061)	46 (48046)			402 (48108)	413 (48425)						1 (48401)							
SAVAGE	- Matte	22	61M (48504)	46M (48502)	48465		402M (48429)	413M (48442)								S61 (48234)	S46 (48227)		S402 (48247)		

		WEAVER™ MOUNT APPLICATIONS CHART		N O T E S	WEAVER™ ALUMINUM TOP MOUNT BASES				MULTI-SLOT BASES			STEEL LOCK SEE-THRU RINGS	Complete Mount Systems	SIDE MOUNT	GRAND SLAM™ STEEL TOP MOUNT BASES				GRAND SLAM™ DOVETAIL BASES			
Revision C: 7/14/2026		MODEL OF FIREARM COLOR INDICATES FINISH: BLACK MATTE SILVER Yellow Shading = Inactive			STANDARD 2-PC BASES			EXTENSION BASES		1-PC	1-PC	1-PC	1-PC	No Bases Required	Bases w/Rings	USE ONLY WITH SIDE MT BRACKET	STANDARD		EXTENSION		1-PC	2-PC
					REAR	FRONT	Base Pairs	REAR	FRONT	1-PC	Multi- Slot Bases	Extended multi-slot bases	Extended multi- slot bases 20 MOA				REAR	FRONT	REAR	FRONT		
MAKE					REAR	FRONT	Base Pairs	REAR	FRONT	1-PC	Multi- Slot Bases	Extended multi-slot bases	Extended multi- slot bases 20 MOA				REAR	FRONT	REAR	FRONT		
SAVAGE	- Silver	22	61S (48002)	46S (48004)			402S (48430)															
SAVAGE	2400		67 (48067)																			
SAVAGE	110 111 112 114 116 series Hog Hunter, Lady hunter LA (w/ AccuTrig.) (post 2003), Stevens 200, 10 ML II (6-48 Screws)	22	46 (48046)	46 (48046)		402 (48108)	402 (48108)															
SAVAGE	- Matte	25,28	46M (48502)	46M (48502)	48466	402M (48429)	402M (48429)		413T (48329)	99489	99490 (20MOA)						S46 (48227)	S46 (48227)	S402 (48247)	S402 (48247)		
SAVAGE	- Silver		46S (48004)	46S (48004)		402S (48430)	402S (48430)															
SAVAGE	10 11 12 14 16 SA (w/ AccuTrig.) (post 2003) (6-48 Screws)	22	46 (48046)	46 (48046)		402 (48108)	402 (48108)															
SAVAGE	- Matte	25,28	46M (48502)	46M (48502)		402M (48429)	402M (48429)		431T (48338)	99491	99492 (20MOA)						S46 (48227)	S46 (48227)	S402 (48247)	S402 (48247)		
SAVAGE	- Silver		46S (48004)	46S (48004)		402S (48430)	402S (48430)															
SAVAGE	LA Rifles, 110, 110 BA Stelth, 112 Magnum Target, 111 Long Range Hunter, 110 FCP HS Precision, 110 BA Stealth Evolution (Post 2021, 8-40 Screws) -MATTE		653 (48420)	653 (48420)	48489	654 (48421)	654 (48421)		619 (48344)	99465	99497 (20MOA)						S670 (48260)	S670 (48260)	S671 (48261)	S671 (48261)		
SAVAGE	SA Rifles, 10, 10 BA Stealth, 10BA Stealth Evolution, 10 GRS (Post 2021, 8-40 Screws) -MATTE		653 (48420)	653 (48420)	48489	654 (48421)	654 (48421)		618 (48343)	99466	99498 (20MOA)						S670 (48260)	S670 (48260)	S671 (48261)	S671 (48261)		
SAVAGE	10 ML		61 (48061)	46 (48046)			402 (48108)															
SAVAGE	- Matte		61M (48504)	46M (48502)			402M (48429)	413M (48442)														
SAVAGE	- Silver		61S (48002)	46S (48004)			402S (48430)															
SAVAGE	10 ML 2 (post 2003)	22	46 (48046)	46 (48046)		402 (48108)	402 (48108)															
SAVAGE	- Matte		46M (48502)	46M (48502)		402M (48429)	402M (48429)										S46 (48227)	S46 (48227)	S402 (48247)	S402 (48247)		
SAVAGE	- Silver		46S (48004)	46S (48004)		402S (48430)	402S (48430)															
SAVAGE	B-Mag (WSM All Calibers)		15 (48015)	15 (48015)																		
SAVAGE	- Matte				48480				602 (48305)													
SAVAGE	B-Series (Rim Fire All Calibers)		15 (48015)	15 (48015)					606 (48309)													
SAVAGE	- Matte				48480																	
SAVAGE	93R17, Mark I, Mark II, Cub	5,26	16 (48016)	16 (48016)					601 (48304)													
SAVAGE	64		16 (48016)	16 (48016)					603 (48306)													
SCHULTZ & LARSEN	Schultz & Larsen		54 (48054)	46 (48046)			402 (48108)								1 (48401)		S46 (48227)		S402 (48247)			
SEARS	42, 43		12 (48012)																			
SEARS	50, 51		45 (48045)	46 (48046)			402 (48108)															
SEARS	- Matte																S45 (48226)	S46 (48227)		S402 (48247)		
SEARS	- Silver			46S (48004)			402S (48430)															
SEARS	51L		55 (48055)	46 (48046)			402 (48108)								1 (48401)		S55 (48231)	S46 (48227)		S402 (48247)		
SEARS	53		47 (48047)	46 (48046)			402 (48108)								1 (48401)							
SEARS	- Matte		47M (48503)	46M (48502)			402M (48429)															
SEARS	- Silver		47S (48003)	46S (48004)			402S (48430)															
SEARS	54, 100														3B (48412)							
SHILEN	Flat Top Receiver		61 (48061)	61 (48061)																		
SHILEN	- Matte		61M (48504)	61M (48504)													S61 (48234)	S61 (48234)				
SHILEN	- Silver		61S (48002)	61S (48002)																		
SHILEN	Round Receiver		35 (48035)	35 (48035)		40A (48040)	40A (48040)															
SHILEN	- Matte		35M (48501)	35M (48501)		40AM (48428)	40AM (48428)										S35 (48224)	S35 (48224)				
SHILEN	- Silver		35S (48006)	35S (48006)																		
SMITH & WESSON	Mauser Actions w/small rec. ring about 1.30" dia		55 (48055)	46 (48046)			402 (48108)											S46 (48227)		S402 (48247)		
SMITH & WESSON	1500, 1600, 1700		36 (48036)	35 (48035)			40A (48040)															
SMITH & WESSON	- Matte		36M (48501)	35M (48500)			40AM (48428)										S36 (48225)	S35 (48224)				
SMITH & WESSON	- Silver		36S (48005)	35S (48006)																		

		WEAVER™ MOUNT APPLICATIONS CHART		N O T E S	WEAVER™ ALUMINUM TOP MOUNT BASES				MULTI-SLOT BASES			STEEL LOCK SEE-THRU RINGS	Complete Mount Systems	SIDE MOUNT	GRAND SLAM™ STEEL TOP MOUNT BASES				GRAND SLAM™ DOVETAIL BASES	
Revision Q: 7/14/2026		MODEL OF FIREARM COLOR INDICATES FINISH: BLACK MATTE SILVER Yellow Shading = Inactive	STANDARD 2-PC BASES			EXTENSION BASES		1-PC	1-PC	1-PC	No Bases Required	Bases w/Rings	USE ONLY WITH SIDE MT BRACKET	STANDARD		EXTENSION		1-PC	2-PC	
MAKE			REAR		FRONT	Base Pairs	REAR	FRONT	1-PC	Multi- Slot Bases				Extended multi-slot bases	Extended multi- slot bases 20 MOA	REAR	FRONT			REAR
SMITH & WESSON	29, 629, 625, 686 & L, K & N Frame Rvtrs (Factory Drilled)	8,17,23						401 (48109)												
SMITH & WESSON	- Silver	8,17,23						401S (48001)												
SMITH & WESSON	41 Pistol							62 (48062)												
SMITH & WESSON	X-Frame (Silver - 48496 S401)	25						48496												
SPRINGFIELD	O3	6	54 (48054)	55 (48055)										1 (48401)						
SPRINGFIELD	O3-A3	8	59 (48059)	45 (48045)																
STEVENS	26													2 (48402)						
STEVENS	53		16 (48016)											2 (48402)						
STEVENS	56, 66		12 (48012)	13 (48013)										2 (48402)						
STEVENS	57, 76, 417 1/2, 762		12 (48012)	12 (48012)										2 (48402)						
STEVENS	110E		61 (48061)	46 (48046)			402 (48108)							1 (48401)						
STEVENS	- Matte		61M (48504)	46M (48502)			402M (48429)								S61 (48234)	S46 (48227)		S402 (48247)		
STEVENS	- Silver		61S (48002)	46S (48004)			402S (48430)													
STEVENS	322, 325													1 (48401)						
STEVENS	300, 305, 310, 315, Cadet	5,26	16 (48016)	16 (48016)																
STEVENS	416		18 (48018)											2 (48402)						
STEVENS	417		15 (48015)	15 (48015)										2 (48402)						
STEVENS	418, 418 1/2		16 (48016)	16 (48016)										2 (48402)						
STEVENS	Savage/Stevens 200	22	46 (48046)	46 (48046)			402 (48108)	402 (48108)												
STEVENS	- Matte	22	46M (48502)	46M (48502)			402M (48429)	402M (48429)							S46 (48227)	S46 (48227)	S402 (48247)	S402 (48247)		
STEVENS	- Silver	22	46S (48004)	46S (48004)			402S (48430)	402S (48430)												
STEVENS - SPRINGFIELD	83		16 (48016)											2 (48402)						
STEVENS - SPRINGFIELD	85, 87, 872	4	12 (48012)	12 (48012)										2 (48402)						
STEVENS - SPRINGFIELD	840	14												1 (48401)						
STEYR MANNLICHER	M, S		432M (48456)	432M (48456)																
STOEGER	3000							93A (48506)												
STOEGER	- Matte							93AT (48339)												
TAURUS	L, K & N Frame Rvtrs (Like S&W Factory Drilled)	8,17,23						401 (48109)												
TAURUS	- Silver	8,17,23						401S (48001)												

WEAVER™ Revision Q: 7/14/2026	WEAVER™ MOUNT APPLICATIONS CHART	N O T E S	WEAVER™ ALUMINUM TOP MOUNT BASES						MULTI-SLOT BASES			STEEL LOCK SEE-THRU RINGS	Complete Mount Systems	SIDE MOUNT	GRAND SLAM™ STEEL TOP MOUNT BASES				GRAND SLAM™ DOVETAIL BASES	
			STANDARD 2-PC BASES			EXTENSION BASES		1-PC	1-PC	1-PC	1-PC				STANDARD		EXTENSION		1-PC	2-PC
			REAR	FRONT	Base Pairs	REAR	FRONT	1-PC	Multi- Slot Bases	Extended multi-slot bases	Extended multi- slot bases 20 MOA				REAR	FRONT	REAR	FRONT		
MAKE	MODEL OF FIREARM COLOR INDICATES FINISH: BLACK MATTE SILVER Yellow Shading = Inactive											No Bases Required	Bases w/Rings	USE ONLY WITH SIDE MT BRACKET						
THOMPSON CENTER	Contender Handgun (will not fit the 44 mag bullbarri), Contender Carbine Rifle							92A (48092)												
THOMPSON CENTER	Scout Rifle, Scout Pistol							404 (FG#)												
THOMPSON CENTER	Thunderhawk, Firehawk (2ea. per pkg.)		406 (48110)	406 (48110)																
THOMPSON CENTER	Encore, Omega, Triumph, Impact							410 (48513)												
THOMPSON CENTER	System 1, Black Diamond, Blk Mountain, Center Woods, 22 classic R55				411 (48632)															
THOMPSON CENTER	Venture, Compass		46 (48046)	46 (48046)		402 (48108)	402 (48108)													
THOMPSON CENTER	- Matte	22	46M (48502)	46M (48502)		402M (48429)	402M (48429)								S46 (48227)	S46 (48227)	S402 (48247)	S402 (48247)		
THOMPSON CENTER	- Silver	22	46S (48004)	46S (48004)		402S (48430)	402S (48430)													
TIKKA	Tikka w/Flat Receiver, T3, 500 Series		61 (48061)	61 (48061)																
TIKKA	- Matte		61M (48504)	61M (48504)	48476					99470					S61 (48234)	S61 (48234)				
TIKKA	- Silver		61S (48002)	61S (48002)																
TIKKA	T3X		61 (48061)	61 (48061)																
TIKKA	- Matte		61M (48504)	61M (48504)	48476					99470					S61 (48234)	S61 (48234)				
TIKKA	Sako Design w/Tapered Dovetail		67 (48067)																	
TRADITIONS	Whitetail w/Octagon Receivers	17	61A (48060)	61A (48060)																
TRADITIONS	In-Line Muzzleloaders w/Round Receivers -Matte		418M (48435)	418M (48435)	48521															
TRADITIONS	- Silver		418S (48453)	418S (48453)									48544 H							
VALMET	Tapered Dovetail Sako Design		67 (48067)																	
VOERE	2130	4	28 (48028)	28 (48028)																
VOERE	2150, 2165/1, 2165/2, 2165/3 & 2165/4 (Mauser Action)		45 (48045)	46 (48046)		402 (48108)														
VOERE	- Matte														S45 (48226)	S46 (48227)		S402 (48247)		
VOERE	- Silver		45 (48004)	46S (48004)																
WEATHERBY	Vanguard S/A, 300	1, 22	36 (48036)	35 (48035)		40A (48040)														
WEATHERBY	- Matte	1, 22	36M (48501)	35M (48500)		40AM (48428)									S36 (48225)	S35 (48224)				
WEATHERBY	- Silver	1, 22	36S (48005)	35S (48006)																
WEATHERBY	Vanguard L/A		36 (48036)	35 (48035)		40A (48040)														
WEATHERBY	- Matte	1, 22	36M (48501)	35M (48500)		40AM (48428)									S36 (48225)	S35 (48224)				
WEATHERBY	- Silver	1, 22	36S (48005)	35S (48006)																
WEATHERBY	Mark V std. Cal incl. 240mag, Centerfire Pistol, 224 Varmintmaster, Ultra Lightweight		36 (48036)																	
WEATHERBY	- Matte		36M (48501)	415M (48432)																
WEATHERBY	XXII (info per customer)		55 (48055)	55 (48055)																
WEATHERBY	FN Mauser Style Actions		45 (48045)	46 (48046)		402 (48108)														
WEATHERBY	- Matte														S45 (48226)	S46 (48227)		S402 (48247)		
WEATHERBY	- Silver			46S (48004)		402S (48430)														
WEATHERBY	Mark V Mag. Cal except 240 mag.			35 (48035)		40A (48040)														48976
WEATHERBY	- Matte			35M (48500)		40AM (48428)														
WESTERN FIELD	712	6												1 (48401)						
WESTERN FIELD	730		25 (48025)	11 (48011)																
WESTERN FIELD	740							63B (48069)												
WESTERN FIELD	- Matte											49713								

[illegible]

Date 7/14/2026
Revision Q

NOTES

1	Shimming is probably required for perfect scope alignment.
2	Rear base may require modifications for correct fit to military actions.
3	Front base may require modification for correct fit.
4	Gun will have to be drilled and tapped.
5	Front base screws must be shortened by grinding.
6	May require bolt and/or safety alteration, otherwise firearm cannot function safely and properly. Consult with a qualified gunsmith.
7	Base DOES NOT FIT Rossi Large Frame Matched Pair Combos. (All models with 12 GA or 20 GA barrels.)
8	Remove rear sight to use.
9	The handiest way to pinpoint the correct base for the Win. 52 & Win. 70 Long action Rifles is to check the spacing of the tapped holes for the rear base and compare it to the hole spacing for the front base. Does it have:
	HOLE SPACING THE SAME: Model 52: use 46+ 46, Model 70: use 47+ 46
	HOLE SPACING DIFFERENT: Model 52: use 25+ 57 Model 70: use 49A+ 46
10	The Weaver type base built into this rifle will accept Weaver rings but our highest ring (1" See-Thru #49513) still isn't high enough to clear the front sight.
11	The Weaver type base built into this firearm will accept any Detachable Top Mount Weaver Ring.
12	All 22 Rifles that have Grooved Receiver with 3/8" Dovetail for Tip-Off Rings.(49819 & 49515)
13	Ruger Mark II Pistols. Weaver only offers a clamp on base with 1" rings (Pistol Mount System #306). Ruger supplies a short or long base and 1" or 30mm rings w/factory drilled and tapped pistols. Contact Ruger at 602-778-6555 for these items.
14	Bolt Clearance problem may exist and scope will not be centered.
15	Base accepts Tip-Off Rings only.
16	TO-9, TO-10 & TO-11 bases accept either Detachable Top Mount Rings or Tip-Off Rings. Each have crossbolt slots and 3/8" grooves for both applications.
17	Must be factory drilled and tapped.
18	One-Piece base attaches to barrel and extends back over receiver.
19	Requires the use of Thompson/Center base adapter.
20	Requires drilling and tapping 4 holes in receiver and relief space cut in stock to clear base.
21	Rear base is positioned on top of receiver and front base is positioned on the barrel. Drilling & tapping required. One-piece base mounts w/2 set screws & newer guns are factory drilled & tapped.
22	For shorter tube scopes or red dot scopes use #402 extension front base or one-piece base if available. Extension base allows an extra .689".
23	WARNING: NOT FOR USE WITH X-FRAME REVOLVERS. USE ON FIREARMS OTHER THAN THOSE LISTED ABOVE MAY CAUSE INJURY.
24	Top mount base is designed to fit 12GA models only.
25	Can be used with Tactical Multi Slot Bases.
26	Rear Base Screws must be shortened by grinding.
27	Not available or discontinued.
28	Tactical Extended Multi-Slot Bases have 20 MOA versions as well.
29	Savage changed the Axis receiver threads from 6-49 to 8-40 in June of 2021. To identify what threads, Savage Arms added a drill point on the receiver. The drill point is located on the left side of the ejection port. If there is a drill point then the receiver has 8-40 threads, if no drill point, then the receiver has 6-48 threads.